CHIPAIK 集益鋁業
IDEAS FOR ALUMINIUM

T +65 6292 0217
F +65 6291 1287

E sales@chipaik.com.sg
www.ChipAik.com.sg

DD20220124
REV. 1

Casement Window AW4-70.BO



Outer Vertical
11795
WT : 0.651 KG/M



Outer Horizontal
11797
WT : 0.664 KG/M



Mullion
11798
WT : 1.176 KG/M



Mullion
11798A
WT : 1.077 KG/M

T +65 6292 0217
F +65 6291 1287
E sales@chipaik.com.sg
www.ChipAik.com.sg

DD20220124
REV. 1

Casement Window AW4-70.BO



Transom
11796
WT : 1.154 KG/M



Inner
12236
WT : 0.711 KG/M



Inner
11799
WT : 0.850 KG/M



Inner with Euro Groove
11865
WT : 0.910 KG/M

CHIP AIK 集益鋁業
IDEAS FOR ALUMINIUM
T +65 6292 0217
F +65 6291 1287
E sales@chipaik.com.sg
www.ChipAik.com.sg
DD20220124
REV. 1

Casement Window AW4-70.BO



Inner w/o Mullion - Left
11801
WT : 1.277 KG/M



Inner w/o Mullion - Right
11800
WT : 1.050 KG/M



Beading
11802
WT : 0.194 KG/M
Glass Thk: 6 - 8 MM



45° Beading
11904
WT : 0.153 KG/M
Glass Thk: 6 - 8 MM



Beading
16398
WT : 0.179 KG/M
Glass Thk: 13.52 MM



Beading
14627
WT : 0.165 KG/M
Glass Thk: 24 - 26 MM

T +65 6292 0217
F +65 6291 1287
E sales@chipaik.com.sg
www.ChipAik.com.sg

DD20220124
REV. 1

Casement Window AW4-70.BO



Mullion Adaptor
16469
WT : 0.607 KG/M

Key Features

- Add on adaptor for dummy mullion, suitable for different inner sizes
- Simplified fabrication process
- Designed to reduce water seepage
- Allow for multi-point lock or flush bolt with euro profile

① Assembly with Inner 12236



② Assembly with Inner 11865 & 11799



CHIP AIK 集益鋁業
IDEAS FOR ALUMINIUM

T +65 6292 0217
F +65 6291 1287

E sales@chipaik.com.sg
www.ChipAik.com.sg

DD20230718
REV. 2

Casement Window AW4-70.BI



Adaptor
11803
WT : 0.365 KG/M



Adaptor Beading
16494
WT : 0.192 KG/M
Glass Thk : 13.52 - 15.52 mm

Key Features

- Add on adaptor for beading inside, allow ease of changing glass panels
- Designed to prevent water seepage
- Beading flushed fit with outer/mullion profiles

① Assembly with Mullion 11798A



② Assembly with Outer Horizontal 11797