



Equal Angle					
Section No.	A		T	Weight	Remarks
	mm	inches	mm	kg/m	
A0308	9.53	3/8	0.80	0.040	
A0310	9.53	3/8	1.00	0.050	MF, NA
A0315	9.53	3/8	1.50	0.071	
A0408	12.70	1/2	0.80	0.053	
A0410	12.70	1/2	1.00	0.066	MF, NA
A0412	12.70	1/2	1.20	0.078	
A0416	12.70	1/2	1.59	0.103	MF
A0420	12.70	1/2	2.00	0.127	
A0429	12.70	1/2	2.90	0.177	MF
A0430	12.70	1/2	3.00	0.182	
A0508	15.88	5/8	0.80	0.079	
A0510	15.88	5/8	1.00	0.083	MF, NA
A0512	15.88	5/8	1.20	0.099	
A0513	15.88	5/8	1.27	0.104	
A0515	15.88	5/8	1.57	0.128	
A0520	15.88	5/8	2.00	0.161	MF
A0528	15.88	5/8	2.80	0.220	MF, NA
A0608	19.05	3/4	0.80	0.081	MF,NA

Equal Angle					
Section No.	A		T	Weight	Remarks
	mm	inches	mm	kg/m	
A0610	19.05	3/4	1.00	0.101	
A0612	19.05	3/4	1.20	0.120	
A0614 (M)	20.00	3/4	1.40	0.146	
A0616	19.05	3/4	1.59	0.157	MF
A0615 (M)	20.00	3/4	1.50	0.157	
A0618	19.05	3/4	1.80	0.177	
A0620	19.05	3/4	2.00	0.196	
A0620(M)	20.00	3/4	2.00	0.206	
A0625(M)	20.00	3/4	2.50	0.254	
A0628	19.05	3/4	2.80	0.268	MF, NA
A0630	19.05	3/4	3.00	0.285	
A0708	22.23	7/8	0.80	0.095	
A0732	22.20	7/8	3.18	0.355	
A1009	25.40	1	0.90	0.122	MF, NA
A1010	25.40	1	1.00	0.135	MB
A1012	25.40	1	1.20	0.161	
A1015	25.40	1	1.50	0.200	MF
A1020	25.40	1	2.00	0.264	
A1025	25.40	1	2.50	0.327	
A1028	25.40	1	2.80	0.364	MF,NA
A1030	25.40	1	3.00	0.389	
A1045	25.40	1	4.50	0.565	MF
A1060	25.40	1	6.00	0.729	MF
A1210	31.75	1 1/4	1.00	0.169	NA
A1215	31.75	1 1/4	1.59	0.267	
A1220	31.75	1 1/4	2.00	0.333	MF
A1220(M)	30.00	1 1/4	2.00	0.314	
A1229	31.75	1 1/4	2.90	0.476	MF
A1230(M)	32.00	1 1/4	3.00	0.496	
A1232	31.75	1 1/4	31.00	0.520	
A1240(M)	30.00	1 1/4	4.00	0.607	

Equal Angle					
Section No.	A		T	Weight	Remarks
	mm	inches	mm	kg/m	
A1245	31.75	1 1/4	4.50	0.720	MF
A1260	31.75	1 1/4	6.00	0.935	
A1410	38.10	1 1/2	1.00	0.204	
A1412	38.10	1 1/2	1.20	0.244	NA
A1415	38.10	1 1/2	1.50	0.304	
A1415(M)	40.00	1 1/2	1.50	0.319	
A1416	38.10	1 1/2	1.59	0.321	
A1418	38.10	1 1/2	1.80	0.363	
A1420	38.10	1 1/2	2.00	0.402	MF, NA
A1420(M)	40.00	1 1/2	2.00	0.423	
A1425	38.10	1 1/2	2.50	0.500	
A1428	38.10	1 1/2	2.80	0.557	MF, NA
A1430	38.10	1 1/2	3.00	0.595	
A1430(M)	40.00	1 1/2	3.00	0.626	
A1432	38.10	1 1/2	3.18	0.629	
A1445	38.10	1 1/2	4.50	0.875	MF
A1450(M)	40.00	1 1/2	5.00	1.017	
A1455(M)	40.00	1 1/2	5.50	1.110	
A1460	38.10	1 1/2	6.00	1.141	MF
A1629	44.45	1 3/4	2.90	0.676	MF
A1632	44.45	1 3/4	3.18	0.739	
A1660	44.45	1 3/4	6.00	1.343	
A2012	50.80	2	1.20	0.327	MF, NA
A2015(M)	50.00	2	1.50	0.401	
A2016	50.80	2	1.59	0.433	
A2020	50.80	2	2.00	0.540	MF, NA
A2025	50.80	2	2.50	0.672	
A2028	50.80	2	2.80	0.750	MF, NA
A2030(M)	50.00	2	3.00	0.788	
A2030	50.80	2	3.00	0.802	

Equal Angle					
Section No.	A		T	Weight	Remarks
	mm	inches	mm	kg/m	
A2032	50.80	2	3.18	0.848	
A2040(M)	50.00	2	4.00	1.037	
A2045	50.80	2	4.50	1.185	MF
A2048	50.80	2	4.75	1.247	
A2050(M)	50.00	2	5.00	1.288	
A2055(M)	50.00	2	5.50	1.409	
A2058	50.80	2	5.80	1.507	MF
A2060(M)	50.00	2	6.00	1.528	
A2060	50.80	2	6.00	1.554	
A2090	50.80	2	9.00	2.261	MF
A20100(M)	50.00	2	10.00	2.438	
A2429	63.50	2 1/2	2.90	0.976	MF
A2430(M)	60.00	2 1/2	3.00	0.951	
A2432	63.50	2 1/2	3.17	1.064	
A2445	63.50	2 1/2	4.50	1.494	MF
A2458	63.50	2 1/2	5.80	1.906	
A2460(M)	60.00	2 1/2	6.00	1.854	
A2460	63.50	2 1/2	6.00	1.967	
A2490	63.50	2 1/2	9.00	2.878	
A3015	76.20	3	1.50	0.613	
A3020	76.20	3	2.00	0.815	
A3028	76.20	3	2.80	1.136	MF
A3030(M)	75.00	3	3.00	1.195	
A3030	76.20	3	3.00	1.215	
A3032	76.20	3	3.18	1.287	
A3045	76.20	3	4.50	1.805	MF
A3050	76.20	3	5.00	1.997	
A3060(M)	75.00	3	6.00	2.341	
A3060	76.20	3	6.00	2.383	MF
A3080(M)	75.00	3	8.00	3.079	
A3090	76.20	3	9.00	3.498	

Equal Angle					
Section No.	A		T	Weight	Remarks
	mm	inches	mm	kg/m	
A3220(M)	80.00	3 1/4	2.00	0.856	
A3260(M)	80.00	3 1/4	6.00	2.5430	
A4028	101.60	4	2.80	1.522	
A4030	101.60	4	3.00	1.628	MF
A4045	101.60	4	4.50	2.425	MF
A4060	101.60	4	6.00	3.209	MF
A4060(M)	100.00	4	6.00	3.154	
A4080(M)	100.00	4	8.00	4.163	
A4090	101.60	4	9.00	4.719	
A40100(M)	100.00	4	10.00	5.153	
A40120	101.60	4	12.00	6.223	
A50120	127.00	5	12.00	7.877	
A50127	127.00	5	12.70	8.312	
A6060	152.40	6	6.00	4.863	
A60120	152.40	6	12.70	10.062	